

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




LIBRARY  
RECEIVED

★ SEP 16 1937

U. S. Department of Agriculture

**FALL  
WHOLESALE  
PRICE LIST  
KOSTER CO.  
INC.**

**WHOLESALE  
NURSERYMEN**




**SEPTEMBER 1, 1937**

**BRIDGETON, N. J.**

**PHONE 1053**

## Terms and Conditions of Sale



**ORDERS:** State size desired and give specific shipping instructions—whether by freight, express or motor, date of delivery and to whom notice of delivery and invoice is to be sent. If no shipping instructions are included we will ship by best carriage. If no date is specified we will ship at once or as soon as weather or conditions of plants allow.

**LINING OUT STOCK.** Lining out material is shipped bare root with the roots puddled and protected with damp moss. Azaleas and Rhododendrons having a natural ball are protected with paper.

**SPECIMEN PLANTS.** All specimen stock is shipped balled and burlapped except small Boxwood and Lilacs. These items are mossed.

**TRANSPORTATION.** All shipments are adequately and carefully packed; and shipped over the Central New Jersey or Pennsylvania Railroads, or by motor freight. We can arrange truck load deliveries to Philadelphia for \$18.00, New York City \$35.00 and Baltimore \$35.00, other distances in proportion.

**PRICES** We quote 1 to 50 plants of ONE KIND at the 10 rate, 50 to 300 at the 100 rate and over 300 at the 1000 rate. Packing at cost of material.

**TERMS:** Orders from NEW CUSTOMERS not accompanied by cash or references will be shipped C. O. D.. Your bank and two business houses with whom you have dealt three or more years are considered necessary references. **REGULAR ACCOUNTS** are due net 30 days or 2% discount 10 days. When cash accompanies order packing is not charged. Interest is charged on past due accounts.

**GUARANTEE:** Our stock is true to name and is of size and quality represented. We give no other guarantee of warranty.

**INSPECTION:** All plants shipped OUTSIDE the Japanese Beetle Quarantine ARE accompanied with a Japanese Beetle Certificate. Shipments INSIDE the Japanese Beetle Quarantine Zone will NOT have a Japanese Beetle Certificate unless requested. All shipments ARE accompanied with a New Jersey Nursery Certificate of Health.

**CLAIMS:** If stock is unsatisfactory, claims should be made promptly upon receipt of goods. No claims after 10 days.

KOSTER COMPANY INC.

Bridgeton, New Jersey.

Telephone:—Bridgeton 1053.

C. Courtney Seabrook, Mgr.

John Vermullen

Hap Hoogendoorn

## Lining-Out Stock

T—once transplanted. TT—twice transplanted.

\*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th.

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th.

|   | 100 rate | 1000 rate |
|---|----------|-----------|
| <b>Abies balsamea (seedlings) Balsam Fir.</b>                       |          |           |
| * 1 to 3 in. T  | \$0.07   | \$0.06    |
| <b>—concolor (seedlings) White Fir.</b>                             |          |           |
| * 1 to 3 in. T  | \$0.07   | \$0.06    |
| * 3 to 6 in. T  | .10      | .09       |
| <b>—fraseri (seedlings) Fraser's Fir.</b>                           |          |           |
| * 1 to 3 in. T  | \$0.07   | \$0.06    |
| <b>—homolepis (seedlings) Nikko Fir.</b>                            |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>—lasiocarpa (seedlings) Alpine Fir.</b>                          |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>—nobilis glauca (seedlings) Noble Blue Fir.</b>                  |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>—nordmanniana (seedlings) Nordmann's Fir.</b>                    |          |           |
| * 1 to 3 in. T  | \$0.07   | \$0.06    |
| <b>—pectinata (seedlings) (alba) Silver Fir.</b>                    |          |           |
| * 1 to 3 in. T  | \$0.07   | \$0.06    |
| <b>—pinsapo glauca (seedlings) Blue Spanish Fir.</b>                |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>—sibirica (seedlings) Russian Fir.</b>                           |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>—veitchi (seedlings) Japanese Fir.</b>                           |          |           |
| * 1 to 3 in. T  | \$0.07   |           |
| <b>Acer palmatum (seedlings) Japanese Maple</b>                     |          |           |
| * 1 to 3 in.  | \$0.02   | \$0.01    |
| <b>—atropurpureum Novum (grafted) True Red Leaf Japanese Maple.</b> |          |           |
| * 8 to 10 in. T   | \$0.30   | \$0.25    |
| * 10 to 12 in. T  | .40      | .35       |
| * 12 to 15 in. T  | .50      | .45       |
| <b>Azalea altaclarens (seedlings) Yellow flowered Ghent A.</b>      |          |           |
| ° 4 to 6 in. T  | \$0.08   | \$0.07    |
| ° 6 to 8 in. T  | .12      | .10       |
| ° 8 to 10 in. TT  | .18      | .15       |
| <b>—arborescens (seedlings) Sweet Azalea.</b>                       |          |           |
| ° 2 to 4 in.  | \$0.05   | \$0.04    |
| ° 4 to 6 in.  | .06      | .05       |
| <b>—Benegiri (cuttings) Deep red Kurume.</b>                        |          |           |
| ° 2 to 3 in. T  | \$0.15   |           |
| ° 3 to 4 in. T  | .18      |           |

|   | 100 rate            | 1000 rate |
|---|---------------------|-----------|
| —calendulacea (seedlings) Flame Azaleas.  |                     |           |
| ° 2 to 4 in. ....   | \$0.05              | \$0.04    |
| ° 4 to 6 in. ....   | .06                 | .05       |
| —canescens (seedlings).   |                     |           |
| ° 2 to 4 in. ....   | \$0.05              | \$0.04    |
| ° 4 to 6 in. ....   | .06                 | .05       |
| —Coral Bells (cuttings) Double shell-pink flowers.                                      |                     |           |
| ° 2 to 3 in. T ....   | \$0.12              | \$0.10    |
| ° 3 to 4 in. T ....   | .18                 | .15       |
| ° 4 to 6 in. T ....   | .25                 | .20       |
| —Hinodegiri (cuttings) Red flowered Evergreen Azalea.                                   |                     |           |
| ° 2 to 3 in. T ....   | \$0.12              | \$0.10    |
| ° 3 to 4 in. T ....   | .18                 | .15       |
| ° 4 to 6 in. TT ....  | .25                 | .20       |
| —Indica (grafted). Large flowering Belgian Azaleas.                                     |                     |           |
| Dr. Martin  | Mme. Ralph Saunders |           |
| Empress of India  | Niobe               |           |
| Empire  | Prof. Walter        |           |
| Ernest Theirs   | Romane de Smet      |           |
| Ernest von Eckhart  | Temperior           |           |
| Mme. Jos. Vervaene  | Van der Cruysen     |           |
| Mme. Morreaux   | Vervaeana           |           |
| ° 4 to 6 in. T ....   | \$0.50              | \$0.45    |
| ° 6 to 8 in. T ....   | .75                 | .65       |
| —J. C. van Tol (seedlings) An orange red type of Mollis.                                |                     |           |
| ° 4 to 6 in. T ....   | \$0.08              | \$0.07    |
| ° 6 to 8 in. T ....   | .12                 | .10       |
| ° 8 to 10 in. TT ....   | .18                 | .15       |
| —Kaempferi (seedlings) Orange red flowers.  |                     |           |
| ° 4 to 6 in. T ....   | \$0.12              | \$0.10    |
| ° 6 to 8 in. T ....   | .18                 | .15       |
| ° 8 to 10 in. T ....  | .25                 | .20       |
| ° 10 to 12 in. T ....   | .30                 | .25       |
| —Kaempferi Hybrid (seedlings) Flowers vary from flame-red to pink to orchid-pink.       |                     |           |
| ° 4 to 6 in. T ....   | \$0.12              | \$0.10    |
| ° 6 to 8 in. T ....   | .18                 | .15       |
| ° 8 to 10 in. TT ....   | .25                 | .20       |
| ° 10 to 12 in. TT ....  | .30                 | .25       |
| —Kaempferi Hybrid (cuttings) Named varieties (see page 16 for description of varieties. |                     |           |
| Atalanta—orchid pink.   | Martha—orchid-pink. |           |
| Carmen—pink.  | Mikado—red.         |           |
| Cleopatra—shell-pink.   | Othello—orange-red. |           |
| Fedora—pink.  | Zampa—crimson-pink. |           |
| ° 3 to 4 in. T ....   | \$0.12              | \$0.10    |
| ° 4 to 6 in. T ....   | .18                 | .15       |
| ° 6 to 8 in. TT ....  | .25                 | .20       |
| ° 8 to 10 in. TT ....   | .30                 | .25       |
| —Macrantha Single (cuttings) Large red Evergreen Azaleas.                               |                     |           |
| ° 2 to 3 in. T ....   | \$0.15              |           |
| ° 3 to 4 in. T ....   | .18                 |           |

100 rate 1000 rate

|  |                 |        |        |
|--|-----------------|--------|--------|
| — <b>Macrantha floreplena</b> (cuttings) Double red flowers.             |                 |        |        |
| °  | 2 to 3 in. T    | \$0.15 |        |
| °  | 3 to 4 in. T    | .18    |        |
| — <b>Mollis</b> (seedlings) Orange to yellow flowers.                    |                 |        |        |
| °  | 4 to 6 in. T    | \$0.08 | \$0.07 |
| °  | 6 to 8 in. T    | .12    | .10    |
| °  | 8 to 10 in. TT  | .18    | .15    |
| — <b>Mucronulata</b> (seedlings) Early rosy-purple flowers.              |                 |        |        |
| °  | 4 to 6 in. T    | \$0.10 | \$0.09 |
| °  | 6 to 8 in. T    | .15    | .12    |
| °  | 8 to 10 in. TT  | .18    | .15    |
| °  | 10 to 12 in. TT | .25    | .20    |
| — <b>Nudiflora</b> (seedlings) Pinxterbloom.                             |                 |        |        |
| °  | 2 to 4 in.      | \$0.05 | \$0.04 |
| °  | 4 to 6 in.      | .06    | .05    |
| — <b>Occidentalis</b> (seedlings).                                       |                 |        |        |
| °  | 2 to 4 in.      | \$0.05 | \$0.04 |
| °  | 4 to 6 in.      | .06    | .05    |
| — <b>Pink Beauty</b> (cuttings) Finest soft pink flowers.                |                 |        |        |
| °  | 2 to 3 in. T    | \$0.15 |        |
| °  | 3 to 4 in. T    | .18    |        |
| — <b>Pink Pearl</b> (cuttings) Large pink flowers.                       |                 |        |        |
| °  | 3 to 4 in. T    | \$0.12 | \$0.10 |
| °  | 4 to 6 in. T    | .18    | .15    |
| °  | 6 to 8 in. TT   | .25    | .20    |
| — <b>Pontica</b> (seedlings) Deciduous Ghent Azalea.                     |                 |        |        |
| °  | 4 to 6 in. T    | \$0.08 | \$0.07 |
| °  | 6 to 8 in. T    | .12    | .10    |
| — <b>Sweet Brier</b> (cuttings) A hardy pink Kurume.                     |                 |        |        |
| °  | 2 to 3 in. T    | \$0.15 |        |
| °  | 3 to 4 in. T    | .18    |        |
| — <b>Vaseyi</b> (seedlings) Pink shell Azalea.                           |                 |        |        |
| °  | 2 to 4 in.      | \$0.05 | \$0.04 |
| °  | 4 to 6 in.      | .06    | .05    |
| — <b>Viscosa</b> (seedlings) Swamp Azalea.                               |                 |        |        |
| °  | 2 to 4 in.      | \$0.05 | \$0.04 |
| °  | 4 to 6 in.      | .06    | .05    |
| — <b>Yayegiri</b> (cuttings) Salmon-rose flowers.                        |                 |        |        |
| °  | 2 to 3 in. T    | \$0.15 |        |
| °  | 3 to 4 in. T    | .18    |        |
| — <b>Yodogawa</b> (cuttings) A double lavender-pink Azalea.              |                 |        |        |
| °  | 2 to 3 in. T    | \$0.15 |        |
| °  | 3 to 4 in. T    | .18    |        |
| <b>Berberis julianae</b> (grafted) Wintergreen Barberry.                 |                 |        |        |
| *  | 6 to 8 in. T    | \$0.30 | \$0.25 |
| *  | 8 to 10 in. T   | .35    | .30    |
| <b>Biota orientalis</b> (seedlings) Columnar habit, light green foliage. |                 |        |        |
| *  | 3 to 6 in.      | \$0.02 | \$0.01 |
| *  | 6 to 12 in.     | .03    | .02    |
| *  | 6 to 12 in. T   | .05    | .04    |
| — <b>orientalis compacta</b> (seedlings) Compact pyramidal B.            |                 |        |        |
| *  | 3 to 6 in.      | \$0.03 | \$0.02 |
| *  | 6 to 12 in.     | .04    | .03    |
| *  | 6 to 12 in. T   | .06    | .05    |

|   |       | 100 rate | 1000 rate |
|---|-------|----------|-----------|
| <b>—aurea nana</b> (grafted) Berckman's golden Biota.             |       |          |           |
| * 6 to 8 in. T  | ..... | \$0.25   | \$0.20    |
| * 8 to 10 in. TT  | ..... | .30      | .25       |
| * 10 to 12 in. TT   | ..... | .35      | .30       |
| <b>—elegantissima</b> (grafted) Yellow columnar Biota.            |       |          |           |
| * 6 to 9 in. T  | ..... | \$0.30   | \$0.25    |
| * 9 to 12 in. TT  | ..... | .35      | .30       |
| * 12 to 15 in. TT   | ..... | .40      | .35       |
| <b>Buxus sempervirens</b> (cuttings) American Boxwood.            |       |          |           |
| * 3 to 4 in. ....   |       | \$0.04   | \$0.03    |
| * 3 to 4 in. T  | ..... | .05      | .04       |
| * 4 to 6 in. T  | ..... | .07      | .06       |
| * 6 to 8 in. TT   | ..... | .09      | .08       |
| * 8 to 10 in. TT  | ..... | .15      | .12       |
| <b>—suffruticosa</b> (cuttings) Old English Boxwood.              |       |          |           |
| * 3 to 4 in. ....   |       | \$0.04   | \$0.03    |
| * 3 to 4 in. T  | ..... | .05      | .04       |
| * 4 to 6 in. T  | ..... | .07      | .06       |
| * 6 to 8 in. TT   | ..... | .09      | .08       |
| <b>Cedrus deodora</b> (seedlings) Deodora Cedar.                  |       |          |           |
| * 3 to 6 in. ....   |       | \$0.06   |           |
| * 6 to 9 in. T  | ..... | .10      |           |
| <b>—lebani</b> (seedlings) Cedar of Lebanon.                      |       |          |           |
| * 3 to 6 in. ....   |       | \$0.06   |           |
| <b>Cercis Siliquastrum</b> (seedlings) Judas Tree.                |       |          |           |
| * 18 to 24 in. T  | ..... | \$0.15   |           |
| * 2 to 3 ft. T  | ..... | .20      |           |
| <b>Chamaecyparis Alumni</b> (cuttings) Lawson's columnar Cypress. |       |          |           |
| * 6 to 8 in. T  | ..... | \$0.10   | \$0.09    |
| * 8 to 10 in. T   | ..... | .15      | .12       |
| * 10 to 12 in. TT   | ..... | .20      |           |
| <b>Cornus florida</b> (seedlings) White flowering Dogwood.        |       |          |           |
| * 6 to 12 in. ....  |       | \$0.03   | \$0.02    |
| <b>—rubra</b> (grafted) Red flowering Dogwood.                    |       |          |           |
| * 8 to 10 in. T   | ..... | \$0.40   | \$0.35    |
| * 10 to 12 in. T  | ..... | .60      | .50       |
| * 12 to 15 in. TT   | ..... | .90      | .75       |
| <b>Cotoneaster horizontalis</b> (seedlings) Rock Cotoneaster.     |       |          |           |
| * 6 to 8 in. ....   |       | \$0.20   |           |
| * 8 to 10 in. ....  |       | .25      |           |
| * 10 to 12 in. ....   |       | .30      |           |
| <b>Cryptomeria Japonica</b> (seedlings) Japanese Cryptomeria.     |       |          |           |
| * 6 to 9 in. T  | ..... | \$0.06   | \$0.05    |
| * 9 to 12 in. T   | ..... | .07      | .06       |
| <b>—japonica lobbi</b> (grafted) Lobb's Cryptomeria.              |       |          |           |
| * 8 to 10 in. T   | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. T  | ..... | .45      | .40       |
| <b>Cunninghamia Lancelota</b> (seedlings) Chinese Fir.            |       |          |           |
| * 6 to 9 in. T  | ..... | \$0.06   | \$0.05    |
| * 9 to 12 in. T   | ..... | .07      | .06       |
| <b>Daphniphyllum Macropedum</b> (seedlings).                      |       |          |           |
| * 4 to 6 in. ....   |       | \$0.06   | \$0.05    |
| * 6 to 8 in. ....   |       | .07      | .06       |
| <b>Enkianthus campanulatum</b> (seedlings) Red veined E.          |       |          |           |
| * 6 to 8 in. T  | ..... | \$0.10   | \$0.09    |
| * 8 to 10 in. T   | ..... | .15      | .12       |
| * 10 to 12 in. TT   | ..... | .20      | .17       |
| * 12 to 15 in. TT   | ..... | .35      | .25       |



|   | 100 rate | 1000 rate |
|---|----------|-----------|
| <b>Franklinia Alatomaha</b> (cuttings) <b>Gordonia</b> or <b>Franklin Tree.</b> |          |           |
| 12 to 15 in. T .....  | \$0.40   | \$0.35    |
| 15 to 18 in. T .....  | .60      | .50       |
| <b>Ginkgo biloba</b> (seedlings) <b>Maidenhair Tree.</b>                        |          |           |
| *12 to 15 in. ....  | \$0.12   | \$0.12    |
| <b>Hydrangea petiolaris</b> (seedlings) <b>Climbing Hydrangea.</b>              |          |           |
| Strong plants from pots .....   | \$0.25   |           |
| <b>Ilex Acquifolia</b> (English Holly).   |          |           |
| * 6 to 8 in. T .....  | \$0.12   | \$0.10    |
| * 8 to 10 in. T .....   | .18      | .15       |
| * 10 to 12 in. TT .....   | .25      | .20       |
| — <b>argenteo marginata</b> (grafted) <b>Silver margined Holly.</b>             |          |           |
| * 6 to 8 in. T .....  | \$0.35   |           |
| * 8 to 10 in. T .....   | .45      |           |
| * 10 to 12 in. TT .....   | .60      |           |
| — <b>buxifolia, bullata or convexi</b> (cuttings) <b>Dwarf Boxwood Holly.</b>   |          |           |
| * 4 to 6 in. T .....  | \$0.12   | \$0.10    |
| * 6 to 8 in. T .....  | .18      | .15       |
| * 8 to 10 in. TT .....  | .25      | .20       |
| 10 to 12 in. TT .....   | .30      | .25       |
| — <b>camelliaefolia</b> (grafted) <b>Improved English Holly.</b>                |          |           |
| * 6 to 8 in. T .....  | \$0.35   |           |
| * 8 to 10 in. T .....   | .45      |           |
| * 10 to 12 in. TT .....   | .60      |           |
| — <b>cornuta</b> (cuttings) <b>Chinese Holly.</b>                               |          |           |
| * 6 to 8 in. T .....  | \$0.12   | \$0.10    |
| * 8 to 10 in. T .....   | .18      | .15       |
| * 10 to 12 in. TT .....   | .25      | .20       |
| — <b>crenata</b> (cuttings) <b>Japanese Holly</b>                               |          |           |
| * 4 to 6 in. T .....  | \$0.12   | \$0.10    |
| * 6 to 8 in. T .....  | .18      | .15       |
| * 8 to 10 in. TT .....  | .25      | .20       |
| — <b>glabra</b> (cuttings) <b>Inkberry</b>                                      |          |           |
| * 6 to 8 in. T .....  | \$0.12   | \$0.10    |
| * 8 to 10 in. T .....   | .18      | .15       |
| * 10 to 12 in. TT .....   | .25      | .20       |
| 12 to 15 in. TT .....   | .30      | .25       |
| — <b>laevigata polycarpa</b> (grafted) <b>Improved Aquifolia type</b>           |          |           |
| * 6 to 8 in. T .....  | \$0.35   |           |
| * 8 to 10 in. T .....   | .45      |           |
| * 10 to 12 in. TT .....   | .60      |           |
| — <b>pernyi</b> (cuttings) <b>Oriental dwarf Holly.</b>                         |          |           |
| * 3 to 4 in. T .....  | \$0.20   |           |
| * 4 to 6 in. T .....  | .30      |           |
| — <b>sieboldi</b> (cuttings) <b>Siebold's deciduous Holly.</b>                  |          |           |
| 10 to 12 in. TT .....   | \$0.25   | \$0.20    |
| 12 to 15 in. TT .....   | .30      | .25       |
| — <b>verticillata</b> (seedlings) <b>Black Alder Winterberry.</b>               |          |           |
| * 6 to 8 in. ....   | \$0.09   | \$0.08    |
| * 8 to 10 in. ....  | .12      | .10       |
| * 10 to 12 in. ....   | .18      | .15       |
| <b>Juniperus cannarti</b> (grafted) <b>Cannart's Red Cedar</b>                  |          |           |
| * 8 to 10 in. T .....   | \$0.35   | \$0.30    |
| * 10 to 12 in. TT .....   | .45      | .40       |
| * 12 to 15 in. TT .....   | .60      | .50       |

|  |       | 100 rate | 1000 rate |
|--|-------|----------|-----------|
| <b>—columnaris blue (grafted) Blue columnar Chinese J.</b>     |       |          |           |
| * 8 to 10 in. T  | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. TT  | ..... | .45      | .40       |
| * 12 to 15 in. TT  | ..... | .60      | .50       |
| <b>—depressa plumosa (cuttings) Prostrate Andorra Juniper.</b> |       |          |           |
| * 6 to 8 in. T   | ..... | \$0.10   | \$0.09    |
| * 8 to 10 in. T  | ..... | .15      | .12       |
| * 10 to 12 in. TT  | ..... | .18      | .15       |
| <b>—glauca virginiana (grafted) Silver Red Cedar</b>           |       |          |           |
| * 8 to 10 in. T  | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. TT  | ..... | .45      | .40       |
| * 12 to 15 in. TT  | ..... | .60      | .50       |
| <b>—hibernica (cuttings) Irish Juniper.</b>                    |       |          |           |
| * 6 to 8 in. T   | ..... | \$0.10   | \$0.09    |
| * 8 to 10 in. T  | ..... | .15      | .12       |
| * 10 to 12 in. TT  | ..... | .18      | .15       |
| <b>—keteleeri (grafted) Keteleer Red Cedar</b>                 |       |          |           |
| * 8 to 10 in. T  | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. TT  | ..... | .45      | .40       |
| * 12 to 15 in. TT  | ..... | .60      | .50       |
| <b>—meyeri (cuttings) Meyer's Fishtail Juniper.</b>            |       |          |           |
| * 4 to 6 in. T   | ..... | \$0.10   | \$0.09    |
| * 6 to 8 in. T   | ..... | .15      | .12       |
| * 8 to 10 in. TT   | ..... | .18      | .15       |
| <b>—pfitzer (cuttings) Pfitzer's spreading Juniper</b>         |       |          |           |
| * 6 to 8 in. T   | ..... | \$0.15   | \$0.12    |
| * 8 to 10 in. T  | ..... | .18      | .15       |
| * 10 to 12 in. TT  | ..... | .25      | .20       |
| <b>—sabina (cuttings) Sabin's Juniper</b>                      |       |          |           |
| * 6 to 8 in. T   | ..... | \$0.10   | \$0.09    |
| * 8 to 10 in. T  | ..... | .15      | .12       |
| * 10 to 12 in. TT  | ..... | .18      | .15       |
| <b>—schotti (grafted) Scott's Red Cedar.</b>                   |       |          |           |
| * 8 to 10 in. T  | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. TT  | ..... | .45      | .40       |
| * 12 to 15 in. TT  | ..... | .60      | .50       |
| <b>—stricta (cuttings) Spiny Greek Juniper.</b>                |       |          |           |
| * 4 to 6 in. T   | ..... | \$0.10   | \$0.09    |
| * 6 to 8 in. T   | ..... | .15      | .12       |
| * 8 to 10 in. TT   | ..... | .18      | .15       |
| <b>—veridis columnaris (grafted) Green columnar Chinese J.</b> |       |          |           |
| * 8 to 10 in. T  | ..... | \$0.35   | \$0.30    |
| * 10 to 12 in. TT  | ..... | .45      | .40       |
| * 12 to 15 in. TT  | ..... | .60      | .50       |
| <b>Leucothoe catesbaei (seedlings) Drooping Leucothoe.</b>     |       |          |           |
| * 4 to 6 in. T   | ..... | \$0.07   | \$0.06    |
| * 6 to 8 in. TT  | ..... | .10      | .09       |
| * 8 to 10 in. TT   | ..... | .15      | .12       |
| <b>Libocedrus decurrens (seedlings) Incense Cedar</b>          |       |          |           |
| * 6 to 8 in. T   | ..... | \$0.12   | \$0.10    |
| * 8 to 10 in. T  | ..... | .18      | .15       |
| * 10 to 12 in. TT  | ..... | .25      |           |

100 rate 1000 rate

|  |             |        |
|--|-------------|--------|
| <b>Magnolia cordata</b> (grafted) Yellow flowered Magnolia   |             |        |
| — <b>conspicua</b> (grafted) Yulan white Magnolia            |             |        |
| — <b>Kobus borealis</b> (grafted) Flowering Kobus Magnolia.  |             |        |
| — <b>parviflora</b> (grafted) Red and White saucer Magnolia. |             |        |
| — <b>soulangeana alba</b> (grafted) White Saucer Magnolia    |             |        |
| — <b>s. alexandriana</b> (grafted) Rose colored Magnolia.    |             |        |
| — <b>s. brozzoni</b> (grafted) Light Purple Magnolia.        |             |        |
| — <b>s. lenni</b> (grafted) Purple Magnolia.                 |             |        |
| — <b>s. norbertiana</b> (grafted) Columnar Soulangeana type. |             |        |
| — <b>s. speciosa</b> (grafted) Showy White Magnolia.         |             |        |
| — <b>s. superba</b> (grafted) Large flowered Magnolia.       |             |        |
| — <b>stellata</b> (grafted) White Star Magnolia.             |             |        |
| * 8 to 10 in. T  | \$0.60 each |        |
| * 10 to 12 in. TT  | 1.00 each   |        |
| — <b>soulangeana</b> (grafted) Pink Saucer Magnolia          |             |        |
| * 10 to 12 in. T   | \$0.50      | \$0.40 |
| * 12 to 15 in. TT  | .75         | .60    |
| 15 to 18 in. TT  | .90         | .75    |
| — <b>s. nigra</b> (grafted) Black Saucer Magnolia.           |             |        |
| * 10 to 12 in. T   | \$0.50      | \$0.40 |
| * 12 to 15 in. TT  | .75         | .60    |
| 15 to 18 in. TT  | .90         | .75    |
| <b>Mahonia aquifolium</b> (seedlings) Oregon Hollygrape.     |             |        |
| * 2 to 4 in.   | \$0.03      | \$0.02 |
| <b>Nandina domestica</b> (seedlings) Nandina.                |             |        |
| * 2 to 4 in.   | \$0.03      | \$0.02 |
| <b>Picea albertiana</b> (seedlings) Albert Spruce.           |             |        |
| * 2 to 4 in.   | \$0.04      | \$0.03 |
| — <b>canadensis</b> (seedlings) White Spruce.                |             |        |
| * 2 to 4 in.   | \$0.04      | \$0.03 |
| — <b>engelmanni</b> (seedlings) Engelmann Spruce.            |             |        |
| * 2 to 4 in.   | \$0.04      | \$0.03 |
| — <b>excelsa</b> (seedlings) Norway Spruce.                  |             |        |
| * 3 to 6 in.   | \$0.02      | \$0.01 |
| * 6 to 9 in. T   | .05         | .04    |
| * 9 to 12 in. TT   | .08         | .07    |
| — <b>omorika</b> (seedlings)                                 |             |        |
| * 2 to 4 in.   | \$0.10      |        |
| — <b>orientalis</b> (seedlings)                              |             |        |
| * 2 to 4 in.   | \$0.04      | \$0.03 |
| — <b>pungens</b> (seedlings) Colorado Spruce                 |             |        |
| * 3 to 6 in.   | \$0.03      | \$0.02 |
| * 6 to 9 in. T   | .07         | .06    |
| * 9 to 12 in. T  | .10         | .09    |
| — <b>pungens glauca</b> (seedlings)                          |             |        |
| * 2 to 4 in.   | \$0.04      | \$0.03 |
| — <b>kosteri</b> (grafted) Koster's Blue Spruce.             |             |        |
| * 6 to 8 in. T   | \$0.60      | \$0.50 |
| * 8 to 10 in. TT   | .75         | .60    |
| * 10 to 12 in. TT  | .90         | .75    |
| <b>Pieris japonica</b> (cuttings) Japanese Andromeda         |             |        |
| * 4 to 6 in. T   | \$0.12      | \$0.10 |
| * 6 to 8 in. T   | .18         | .15    |
| 8 to 10 in. TT   | .25         | .20    |
| — <b>floribundae</b> (seedlings)                             |             |        |
| * 4 to 6 in. T   | \$0.12      | \$0.10 |
| * 6 to 8 in. T   | .18         | .15    |

|   | 100 rate | 1000 rate |
|---|----------|-----------|
| <b>Pinus Banksiana (seedlings) Jack Pine</b>                    |          |           |
| * 3 to 6 in. ....   | \$0.04   | \$0.03    |
| * 6 to 9 in. T .....  | .07      |           |
| * 9 to 12 in. T .....   | .10      |           |
| <b>—bungeana (seedlings) Lacebark Pine.</b>                     |          |           |
| * 2 to 3 in. T .....  | \$0.07   |           |
| * 3 to 6 in. T .....  | .10      |           |
| <b>—densiflora (seedlings) Japanese Red Pine</b>                |          |           |
| * 3 to 6 in. ....   | \$0.04   | \$0.03    |
| * 6 to 9 in. T .....  | .07      |           |
| <b>—echinata (seedlings) Shortleaf Pine</b>                     |          |           |
| * 2 to 3 in. T .....  | \$0.07   |           |
| * 3 to 6 in. T .....  | .10      |           |
| <b>—excelsa (seedlings) Himalayan Pine</b>                      |          |           |
| * 2 to 3 in. T .....  | \$0.07   |           |
| <b>—jeffreyi (seedlings) Oregon Blue Pine.</b>                  |          |           |
| * 2 to 3 in. T .....  | \$0.07   |           |
| * 3 to 6 in. T .....  | .10      |           |
| <b>—massoniana (seedlings) Chinese Pine.</b>                    |          |           |
| * 6 to 9 in. T .....  | \$0.07   |           |
| * 9 to 12 in. T .....   | .10      |           |
| <b>—montana (seedlings) Dwarf Mugho Pine.</b>                   |          |           |
| * 2 to 3 in. ....   | \$0.03   | \$0.02    |
| * 3 to 6 in. T .....  | .07      |           |
| * 6 to 8 in. TT .....   | .15      |           |
| <b>—nigra (seedlings) Austrian Pine.</b>                        |          |           |
| * 3 to 6 in. ....   | \$0.03   | \$0.02    |
| * 6 to 9 in. T .....  | .07      | .06       |
| * 9 to 12 in. T .....   | .10      | .09       |
| * 12 to 15 in. T .....  | .18      | .15       |
| <b>—rigida (seedlings) Pitch Pine</b>                           |          |           |
| * 6 to 9 in. T .....  | \$0.07   |           |
| * 9 to 12 in. T .....   | .10      |           |
| <b>—strobis (seedlings) White Pine</b>                          |          |           |
| * 3 to 6 in. T .....  | \$0.07   |           |
| * 6 to 9 in. T .....  | .09      |           |
| * 9 to 12 in. T .....   | .12      |           |
| <b>—sylvestris (seedlings) Scotch Pine.</b>                     |          |           |
| * 3 to 6 in. ....   | \$0.03   | \$0.02    |
| <b>—thunbergi (seedlings) Japanese Black Pine.</b>              |          |           |
| * 2 to 3 in. ....   | \$0.04   | \$0.03    |
| * 3 to 6 in. T .....  | .07      |           |
| <b>Photinia Serrulata (cuttings) Low Photiana.</b>              |          |           |
| * 6 to 9 in. T .....  | \$0.12   |           |
| * 9 to 12 in. T .....   | .20      |           |
| <b>Pseudotsuga douglasi glauca (seedlings) Blue Douglas Fir</b> |          |           |
| * 2 to 4 in. ....   | \$0.04   | \$0.03    |
| * 4 to 6 in. T .....  | \$0.07   |           |
| * 6 to 9 in. T .....  | .10      |           |
| <b>Retinospora pisifera (cuttings) Sawara Cypress</b>           |          |           |
| * 6 to 8 in. T .....  | \$0.10   | \$0.09    |
| * 8 to 10 in. T .....   | .15      | .12       |
| * 10 to 12 in. TT .....   | .18      | .15       |
| <b>—plumosa (cuttings) Plume Cypress</b>                        |          |           |
| * 6 to 8 in. T .....  | \$0.10   | \$0.09    |
| * 8 to 10 in. T .....   | .15      | .12       |
| * 10 to 12 in. TT .....   | .18      | .15       |

|  | 100 rate | 1000 rate |
|--|----------|-----------|
| — <b>aurea</b> (cuttings) Golden Plume Cypress   |          |           |
| * 6 to 8 in. T   | \$0.10   | \$0.09    |
| * 8 to 10 in. T  | .15      | .12       |
| * 10 to 12 in. TT  | .18      | .15       |
| — <b>squarrosa veitchi</b> (cuttings) Veitch's Moss Cypress  |          |           |
| * 6 to 8 in. T   | \$0.10   | \$0.09    |
| * 8 to 10 in. T  | .15      | .12       |
| * 10 to 12 in. TT  | .18      | .15       |
| <b>Rhododendron Hybrid.</b> All Rhododendron varieties are grafted on hardy understock by expert propagators. See page 20 for description. |          |           |
| Album elegans—white  |          |           |
| America—red  |          |           |
| Amphion—pink, white eye  |          |           |
| Boule de Neige—white   |          |           |
| Catawbiense album—white  |          |           |
| Cat. grandiflorum—lilac  |          |           |
| Dr. Dresselhuys—red  |          |           |
| Dr. Lovink—red   |          |           |
| Dr. Rutgers—red  |          |           |
| Ignatius Sargent—red   |          |           |
| Kettledrum—red   |          |           |
| ° 6 to 9 in. T (1 year)  | \$0.60   | \$0.50    |
| ° 9 to 12 in. T (2 year)   | .90      | .75       |
| Lee's Dark Purple—purple   |          |           |
| Mrs. P. den Ouden—red  |          |           |
| Mrs. Sargent—light red   |          |           |
| Parsons' gran.—wine red  |          |           |
| Pres. Lincoln—lavender   |          |           |
| Prof. Bettex—red   |          |           |
| Purp. elegans—purple   |          |           |
| Ros. elegans—orchid pink   |          |           |
| Van der Broeke—red   |          |           |
| Van der Hoop—red   |          |           |
| V. Weerden Poelman—red   |          |           |
| <b>Rhododendron arboreum</b> (seedlings) White to red flowering Tree Rhododendron  |          |           |
| 2 to 3 in. T   | \$0.20   |           |
| 3 to 6 in. T   | .30      |           |
| — <b>brachycarpa</b> (seedlings).  |          |           |
| 2 to 3 in. T   | \$0.20   |           |
| 3 to 6 in. T   | .30      |           |
| — <b>carolina</b> (seedlings) Carolina Rhododendron  |          |           |
| ° 3 to 6 in. T   | \$0.08   | \$0.07    |
| ° 6 to 9 in. T   | .12      | .10       |
| ° 9 to 12 in. TT   | .18      | .15       |
| — <b>catawbiense</b> (seedlings) Catawba Rhododendron  |          |           |
| ° 3 to 6 in. T   | \$0.08   | \$0.07    |
| ° 6 to 9 in. T   | .12      | .10       |
| ° 9 to 12 in. TT   | .18      | .15       |
| — <b>catawbiense hybrid</b> seedlings (seedlings)  |          |           |
| ° 3 to 6 in. T   | \$0.08   | \$0.07    |
| ° 6 to 9 in. T   | .12      | .10       |
| ° 9 to 12 in. TT   | .18      | .15       |
| — <b>decorum</b> (seedlings)   |          |           |
| 2 to 3 in. T   | \$0.20   |           |
| 3 to 6 in. T   | .30      |           |
| — <b>discolor</b> (seedlings) Large Leaf Pink flowering Rhodo.   |          |           |
| 4 to 6 in. T   | \$0.35   |           |
| 6 to 8 in. T   | .45      |           |
| — <b>ferrigineum</b> (seedlings) Extremely dwarf Pink Rhodo.   |          |           |
| 1 to 2 in. T   | \$0.20   |           |
| 2 to 3 in. T   | .30      |           |
| — <b>fortunei</b> (seedlings) Pink color flowers.  |          |           |
| 4 to 6 in. T   | \$0.35   |           |
| 6 to 8 in. T   | .45      |           |
| 8 to 10 in. TT   | .60      |           |
| — <b>hippophicoides</b> (seedlings) Dwarf plant with lavender-blue flowers   |          |           |
| 6 to 8 in. T   | \$0.50   |           |
| 8 to 10 in. TT   | .60      |           |
| 10 to 12 in. TT  | .75      |           |



|  | 100 rate    | 1000 rate   |
|--|-------------|-------------|
| — <b>hirsutum</b> (seedlings) Extremely dwarf pink to lilac<br>flowered Rhododendron |             |             |
| 1 to 2 in. T .....   | \$0.20      |             |
| 2 to 3 in. T .....   | .30         |             |
| 3 to 4 in. T .....   | .40         |             |
| — <b>keiski</b> (seedlings) Yellow flowered dwarf evergreen R.                       |             |             |
| 4 to 6 in. T .....   | \$0.25      |             |
| 6 to 8 in. T .....   | .50         |             |
| 8 to 10 in. T .....  | .50         |             |
| — <b>maximum</b> (seedlings) Rose Bay Rhododendron                                   |             |             |
| ° 3 to 6 in. T .....   | \$0.08      | \$0.07      |
| ° 6 to 9 in. T .....   | .12         | .10         |
| ° 9 to 12 in. T .....  | .18         | .15         |
| — <b>metternichi</b> (seedlings) Rose flowered dwarf Rhodo.                          |             |             |
| 1 to 2 in. T .....   | \$0.20      |             |
| 2 to 3 in. T .....   | .25         |             |
| — <b>micranthum</b> (seedlings) Snow-white flowered Chinese R.                       |             |             |
| 8 to 10 in. TT .....   | \$0.20      |             |
| 10 to 12 in. TT .....  | .30         |             |
| — <b>pontica</b> (seedlings) Pontica Rhododendron                                    |             |             |
| ° 3 to 6 in. T .....   | \$0.08      | \$0.07      |
| 6 to 9 in. T grafting size .....   | .10         | .09         |
| 9 to 12 in. T grafting size .....  | .15         | .12         |
| — <b>racemosa</b> (seedlings) Dwarf Chinese pink flowered R.                         |             |             |
| 3 to 4 in. T .....   | \$0.12      | \$0.10      |
| 4 to 6 in. TT .....  | .18         | .15         |
| 6 to 8 in. TT .....  | .25         | .20         |
| — <b>rhombica</b> (seedlings) Deciduous rose flowered Rhodo.                         |             |             |
| 8 to 10 in. TT .....   | \$0.15      |             |
| 10 to 12 in. TT .....  | .20         |             |
| 12 to 15 in. TT .....  | .25         |             |
| <b>Stewartia monadelphica</b> (seedlings).   |             |             |
| * 6 to 9 in. ....  | \$0.07      | \$0.06      |
| * 9 to 12 in. ....   | .09         | .08         |
| <b>Syringa vulgaris</b> (root-grafted or cuttings) French Hybrid<br>Lilacs.          |             |             |
| * 1 to 2 stems 10 to 20 in. T .....  | \$0.18      | \$0.15      |
| * 2 to 3 stems 10 to 20 in. T .....  | .30         | .25         |
| <b>Single White</b>  | 1 to 2 stem | 2 to 3 stem |
| Marie Legraye  | 150         | 30          |
| Mont Blanc   | 20          | 5           |
| Vestale  | 20          | 5           |
| <b>Double White</b>  |             |             |
| Edith Cavell   | 100         | 25          |
| Miss Ellen Willmott  | 100         | 40          |
| Mme. Casimer Perier  | 50          | 15          |
| Mme. Lemoine   | 200         | 25          |
| <b>Single Red or Pink</b>  |             |             |
| Descartes  | 35          | 5           |
| Diderot  | 75          | 50          |
| Lamartine  | 5           | 10          |
| Reamur   | 40          | 10          |
| Ruhm von Horstenstein  | 15          | 5           |
| <b>Double Red or Pink</b>  |             |             |
| Edouard Andre  | 25          | 5           |
| Leon Gambetta  | 10          |             |
| <b>Single Blue</b>   |             |             |
| Cavour   | 65          | 10          |
| <b>Single Lilac</b>  |             |             |
| Chas. X  | 10          |             |
| Hugo Koster  | 90          | 10          |
| Maurice Barres   | 25          | 5           |

|   |        |          |           |
|---|--------|----------|-----------|
| <b>Double Lilac</b>   |        |          |           |
| Pres. Faillieres  | 40     | 10       |           |
| <b>Single Violet</b>  |        |          |           |
| Capt. Baltet  | 20     | 5        |           |
| De Miribel  | 50     | 10       |           |
|   |        | 100 rate | 1000 rate |
| <b>Taxus brevifolia nana (cuttings) Dwarf Japanese Yew</b>      |        |          |           |
| * 4 to 6 in. T  | \$0.12 | \$0.10   |           |
| * 6 to 8 in. T  | .18    | .15      |           |
| * 8 to 10 in. TT  | .25    | .20      |           |
| <b>—capitata (seedlings) Pyramidal Yew</b>                      |        |          |           |
| * 6 to 8 in. T  | \$0.18 | \$0.15   |           |
| * 8 to 10 in. TT  | .25    | .20      |           |
| * 10 to 12 in. TT   | .30    | .25      |           |
| <b>—cuspidata (cuttings) Spreading Japanese Yew</b>             |        |          |           |
| * 6 to 8 in. T  | \$0.12 | \$0.10   |           |
| * 8 to 10 in. TT  | .18    | .15      |           |
| * 10 to 12 in. TT   | .25    | .20      |           |
| <b>—erecta overlander (grafted) Upright Yew</b>                 |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| * 10 to 12 in. TT   | .50    |          |           |
| <b>—fastigata (grafted) Irish Yew.</b>                          |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| * 10 to 12 in. TT   | .50    |          |           |
| <b>—aurea (grafted) Golden Irish Yew</b>                        |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| * 10 to 12 in. TT   | .50    |          |           |
| <b>—hatfieldi (grafted) Hatfield Yew</b>                        |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| * 10 to 12 in. TT   | .50    |          |           |
| <b>—hicksi (cuttings) Upright Hick's Yew</b>                    |        |          |           |
| * 6 to 8 in. T  | \$0.12 | \$0.10   |           |
| * 8 to 10 in. TT  | .18    | .15      |           |
| * 10 to 12 in. TT   | .25    | .20      |           |
| <b>—intermedia (cuttings) Globular Yew</b>                      |        |          |           |
| * 6 to 8 in. T  | \$0.12 | \$0.10   |           |
| * 8 to 10 in. TT  | .18    | .15      |           |
| * 10 to 12 in. TT   | .25    | .20      |           |
| <b>—repandens (grafted) Prostrate Yew</b>                       |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| <b>—semperaurea (grafted) Low Golden Yew</b>                    |        |          |           |
| * 6 to 8 in. T  | \$0.30 |          |           |
| * 8 to 10 in. T   | .40    |          |           |
| <b>Thuja elegantissima (cuttings) Golden upright Arborvitae</b> |        |          |           |
| * 6 to 8 in. T  | \$0.12 | \$0.10   |           |
| * 8 to 10 in. TT  | .18    | .15      |           |
| <b>—globosa (cuttings) The compact Globe Arborvitae</b>         |        |          |           |
| * 6 to 8 in. T  | \$0.12 | \$0.10   |           |
| * 8 to 10 in. TT  | .18    | .15      |           |
| * 10 to 12 in. TT   | .25    | .20      |           |
| <b>—woodwardi</b>   |        |          |           |
| * 6 to 8 in. T  | \$0.12 |          |           |
| * 8 to 10 in. T   | .18    |          |           |
| * 10 to 12 in. TT   | .25    |          |           |
| <b>—lutea (grafted) Golden George Peabody Arborvitae.</b>       |        |          |           |
| * 6 to 8 in. T  | \$0.25 |          |           |
| * 8 to 10 in. T   | .30    |          |           |
| * 10 to 12 in. TT   | .35    |          |           |

|  | 100 rate | 1000 rate |
|--|----------|-----------|
| —pyramidalis (cuttings) Pyramidal Arborvitae   |          |           |
| * 6 to 8 in. T                                 | \$0.12   | \$0.10    |
| * 8 to 10 in. TT                               | .18      | .15       |
| * 10 to 12 in. TT                              | .25      | .20       |
| * 12 to 15 in. TT                              | .30      | .25       |
| —rosenthali (cuttings) Rosenthal's Arborvitae  |          |           |
| * 4 to 6 in. T                                 | \$0.12   | \$0.10    |
| * 6 to 8 in. T                                 | .18      | .15       |
| * 8 to 10 in. T                                | .25      | .20       |
| * 10 to 12 in. TT                              | .30      | .25       |
| —spiralis (cuttings) Moss Arborvitae           |          |           |
| * 6 to 8 in. T                                 | \$0.12   | \$0.10    |
| * 8 to 10 in. TT                               | .18      | .15       |
| * 10 to 12 in. TT                              | .25      | .20       |
| * 12 to 15 in. TT                              | .30      | .25       |
| —warreana (cuttings) Siberian Arborvitae       |          |           |
| * 6 to 8 in. T                                 | \$0.12   | \$0.10    |
| * 8 to 10 in. TT                               | .18      | .15       |
| * 10 to 12 in. TT                              | .25      | .20       |
| * 12 to 15 in. TT                              | .30      | .25       |
| 'Tsuga canadensis.                             |          |           |
| * 3 to 6 in. T                                 | \$0.10   | \$0.09    |
| * 6 to 9 in. T                                 | .15      | .12       |
| —carolina                                      |          |           |
| * 3 to 6 in. T                                 | \$0.10   | \$0.09    |
| * 6 to 9 in. T                                 | .15      | .12       |
| —fremdi (grafted) Dwarf Pyramidal Hemlock.     |          |           |
| * 4 to 6 in. T                                 | \$0.75   |           |
| * 6 to 8 in. TT                                | 1.00     |           |
| Vaccinium vitis idea major (cuttings Cowberry. |          |           |
| 2¼ in. pots 2 to 3 in.                         | \$1.00   |           |
| —minor (cuttings) Mountain Cowberry.           |          |           |
| 2¼ in. pots 1 to 2 in.                         | \$1.00   |           |



# Specimen Stock

B&B signifies Balled and Burlapped

\*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th.

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th.

10 rate 100 rate

## Abies brachyphylla (Golden Nikko Fir)

|                |        |
|----------------|--------|
| 4 to 5 ft. B&B | \$3.00 |
| 5 to 6 ft. B&B | 4.00   |
| 6 to 7 ft. B&B | 6.00   |

## —concolor (White Fir)

|                  |        |
|------------------|--------|
| 18 to 24 in. B&B | \$0.75 |
| 2 to 3 ft. B&B   | 1.00   |
| 3 to 4 ft. B&B   | 1.25   |

## Acer palmatum atropurpureum novum (Red Leaf Japanese Maple).

|                  |        |        |
|------------------|--------|--------|
| 10 to 12 in. B&B | \$0.75 | \$0.65 |
| 12 to 15 in. B&B | .90    | .75    |
| 15 to 18 in. B&B | 1.25   | 1.00   |
| 18 to 24 in. B&B | 1.50   | 1.25   |
| 2 to 2½ ft. B&B  | 2.00   |        |

## Azalea Coral Belle—Double shell-pink flowering dwarf Azalea. Excellent for forcing.

|                   |        |        |
|-------------------|--------|--------|
| ° 4 to 6 in. B&B  | \$0.45 | \$0.35 |
| ° 6 to 8 in. B&B  | .60    | .50    |
| ° 8 to 10 in. B&B | .75    | .65    |

## —hinodegiri—A bright green leaved Evergreen Azalea with an abundance of red flowers. Excellent for forcing.

|                    |        |        |
|--------------------|--------|--------|
| ° 4 to 6 in. B&B   | \$0.40 | \$0.30 |
| ° 6 to 8 in. B&B   | .50    | .40    |
| ° 8 to 10 in. B&B  | .75    | .60    |
| ° 10 to 12 in. B&B | 1.00   | .80    |
| 12 to 15 in. B&B   | 1.25   | 1.00   |
| 15 to 18 in. B&B   | 1.50   | 1.25   |

## —Indica varieties (grafted)—The large flowering Belgian forcing Azaleas.

Dr. Martin  
Empress of India  
Empire  
Ernest Theirs  
Ernst von Eckhart  
Mme. Jos. Vervaene  
Mme. Morreaux

Mme. Ralph Sanders  
Niobe  
Prof. Walter  
Romane de Smet  
Temperior  
Van der Cruysen  
Vervaeneana

|                    |        |        |
|--------------------|--------|--------|
| ° 6 to 8 in. B&B   | \$0.90 | \$0.75 |
| ° 8 to 10 in. B&B  | 1.25   | 1.00   |
| ° 10 to 12 in. B&B | 1.50   | 1.25   |
| 12 to 15 in. B&B   | 1.75   | 1.50   |
| 15 to 18 in. B&B   | 2.25   | 2.00   |

## —J. C. can Tol—A beautiful orange-red type of Mollis.

|                    |        |        |
|--------------------|--------|--------|
| ° 8 to 10 in. B&B  | \$0.75 | \$0.60 |
| ° 10 to 12 in. B&B | .90    |        |

## —Kaempferi—Extremely hardy Torch Azalea. Orange-red flowers.

|                    |        |        |
|--------------------|--------|--------|
| ° 12 to 15 in. B&B | \$0.90 | \$0.75 |
| ° 15 to 18 in. B&B | 1.25   | 1.00   |
| 18 to 24 in. B&B   | 1.75   | 1.50   |
| 2 to 2½ ft. B&B    | 2.25   | 2.00   |
| 2½ to 3 ft. B&B    | 3.25   |        |

|  | 10 rate | 100 rate |
|--|---------|----------|
| <b>—Kaempferi Hybrid Seedlings—</b> Seedlings of the Kaempferi Malvatica crossing with flowers in various shades of red, pink and flame colors.  |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| 2 to 2½ ft. B&B .....  | 2.25    | 2.00     |
| 2½ to 3 ft. B&B .....  | 3.25    |          |
| <b>—Kaempferi Hybrids—</b> The result of crossing Kaempferi and Malvatica to obtain the hardiest type of Evergreen Azalea with a good range of color in flowers. These unusual new Azaleas have proven hardy in the last few severe winters and are the only Azaleas that have flowered. |         |          |
| <b>—Atalanta—</b> Immense large orchid-pink flowers. Plants are strong tall growers. Late flowering variety.   |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| 2 to 2½ ft. B&B .....  | 2.25    |          |
| <b>—Carmen—</b> A large pink colored bushy growing variety.  |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| <b>—Cleopatra—</b> A very hardy, rapid growing, upright variety producing an abundance of beautiful shell-pink flowers. This makes a striking effect when used in mass plantings with varieties Fedora and Othello.  |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| 2 to 2½ ft. B&B .....  | 2.25    | 2.00     |
| 2½ to 3 ft. B&B .....  | 3.25    | 3.00     |
| <b>—Fedora—</b> The exceptionally large pink flowers of this variety have won first prizes wherever exhibited, here or abroad. The hardiness and vigorous open growing habit recommend this variety especially for outdoor mass planting. Also an excellent forcing variety.             |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| 2 to 2½ ft. B&B .....  | 2.25    | 2.00     |
| <b>—Martha—</b> A large orchid-pink flowered dwarf grower. The extreme hardiness and flat spreading habit recommend it for border planting. Latest flowering Kaempferi Azalea.   |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| <b>—Mikado—</b> This variety produces flowers the same red as Hinodegiri Azalea but is much hardier and has a tall, upright growing habit.   |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    |          |

|  | 10 rate | 100 rate |
|--|---------|----------|
| <b>— — Othello</b> —This orange-red flowering variety is very effective when used with Fedora and Cleopatra in mass plantings. |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    | 1.50     |
| 2 to 2½ ft. B&B .....  | 2.25    | 2.00     |
| <b>— — Zampa</b> —This variety has immense large crimson pink flowers and is a sturdy grower.                                  |         |          |
| ° 12 to 15 in. B&B .....   | \$0.90  | \$0.75   |
| ° 15 to 18 in. B&B .....   | 1.25    | 1.00     |
| 18 to 24 in. B&B .....   | 1.75    |          |
| <b>— Mollis</b> —Deciduous Chinese Azalea having flowers of yellow, orange and red shades.                                     |         |          |
| ° 8 to 10 in. B&B .....  | \$0.60  | \$0.50   |
| ° 10 to 12 in. B&B .....   | .75     | .60      |
| <b>— Mucronulata</b> —A very early lilac-pink flowering tall growing Azalea.   |         |          |
| ° 12 to 15 in. B&B .....   | \$0.75  | \$0.65   |
| ° 15 to 18 in. B&B .....   | .90     | .75      |
| 18 to 24 in. B&B .....   | 1.25    | 1.00     |
| 2 to 2½ ft. B&B .....  | 1.50    | 1.25     |
| <b>Biota aurea nana (Berkman's Golden Biota)</b>   |         |          |
| 10 to 12 in. B&B .....   | \$0.45  | \$0.35   |
| 12 to 15 in. B&B .....   | .60     | .45      |
| 15 to 18 in. B&B .....   | .75     | .60      |
| 18 to 24 in. B&B .....   | .90     | .75      |
| <b>— elegantissima (Yellow Pyramidal Biota)</b>  |         |          |
| 12 to 15 in. B&B .....   | \$0.50  | \$0.40   |
| 15 to 18 in. B&B .....   | .60     | .50      |
| 18 to 24 in. B&B .....   | .75     | .65      |
| <b>Buxus sempervirens (American Bush Boxwood)</b>  |         |          |
| 8 to 10 in. B&B .....  | \$0.35  | \$0.25   |
| 15 to 18 in. B&B .....   | .90     | .75      |
| 18 to 21 in. B&B .....   | 1.25    | 1.00     |
| 21 to 24 in. B&B .....   | 1.50    |          |
| <b>— suffruticosa (Dwarf Old English Boxwood)</b>  |         |          |
| * 4 to 6 in. edging (\$0.06-1000 rate)   | \$0.08  | \$0.07   |
| * 6 to 8 in. edging (\$0.08-1000 rate)   | .10     | .09      |
| 6 to 8 in. x 4 to 6 in. B&B .....  | .30     | .25      |
| 6 to 8 in. x 6 to 8 in. B&B .....  | .40     | .35      |
| 8 to 10 in. x 6 to 8 in. B&B .....   | .50     | .45      |
| 8 to 10 in. x 8 to 10 in. B&B .....  | .70     | .60      |
| <b>Chamaecyparis obtusa youngi (Young's Golden Cypress)</b>  |         |          |
| 18 to 24 in. B&B .....   | \$0.90  |          |
| 2 to 2½ ft. B&B .....  | 1.25    |          |
| <b>— — gracilis (Dark green slender Hinoki Cypress)</b>  |         |          |
| 18 to 24 in. B&B .....   | \$0.90  | \$0.75   |
| 2 to 2½ ft. B&B .....  | 1.25    | 1.00     |
| 2½ to 3 ft. B&B .....  | 1.50    | 1.25     |
| 3 to 4 ft. B&B .....   | 2.00    | 1.75     |
| <b>Cornus florida rubra (Red flowering Dogwood)</b>  |         |          |
| 15 to 18 in. B&B .....   | \$0.90  | \$0.75   |
| 18 to 24 in. B&B .....   | 1.25    |          |
| 2 to 2½ ft. B&B .....  | 1.50    |          |
| 2½ to 3 ft. B&B .....  | 2.00    |          |
| 3 to 4 ft. B&B .....   | 3.00    |          |
| 4 to 5 ft. B&B .....   | 5.00    |          |

10 rate 100 rate

**Cryptomeria japonica lobbi (Japanese Incense Cedar)**

|                 |        |       |
|-----------------|--------|-------|
| 2½ to 3 ft. B&B | \$0.90 |       |
| 3 to 4 ft. B&B  | 1.25   |       |
| 4 to 5 ft. B&B  | 1.75   |       |
| 5 to 6 ft. B&B  | 2.75   | 2.50  |
| 6 to 7 ft. B&B  | 3.75   | 3.50  |
| 7 to 8 ft. B&B  | 5.50   | 5.00  |
| 8 to 9 ft. B&B  | 8.00   | 7.00  |
| 9 to 10 ft. B&B | 12.00  | 10.00 |

**Enkianthus campanulatus (Red Vein Enkianthus)**

|                  |        |
|------------------|--------|
| 18 to 24 in. B&B | \$1.00 |
| 2 to 2½ ft. B&B  | 1.50   |
| 2½ to 3 ft. B&B  | 2.00   |

**Frankliniana altamaha**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 3 ft. B&B   | 1.25   | 1.00   |

**Ilex Aquifolia (English Holly)**

|                  |        |
|------------------|--------|
| 10 to 12 in. B&B | \$0.65 |
| 12 to 15 in. B&B | .75    |

**—buxifolia (Convexi or Bullata)**

|                  |        |
|------------------|--------|
| 8 to 10 in. B&B  | \$0.65 |
| 10 to 12 in. B&B | .75    |

**—Cornuta (Chinese Holly)**

|                  |        |
|------------------|--------|
| 10 to 12 in. B&B | \$0.65 |
| 12 to 15 in. B&B | .75    |

**—crenata (large Leaf Japanese Holly)**

|                  |        |
|------------------|--------|
| 12 to 15 in. B&B | \$0.75 |
| 15 to 18 in. B&B | .90    |
| 18 to 24 in. B&B | 1.25   |
| 2 to 2½ ft. B&B  | 1.75   |
| 2½ to 3 ft. B&B  | 2.25   |

**—microphylla (Small Leaf Japanese Holly)**

|                  |        |
|------------------|--------|
| 12 to 15 in. B&B | \$0.75 |
| 15 to 18 in. B&B | .90    |
| 18 to 24 in. B&B | 1.25   |
| 2 to 2½ ft. B&B  | 1.75   |
| 2½ to 3 ft. B&B  | 2.25   |

**—glabra (American Inkberry)**

|                            |           |
|----------------------------|-----------|
| 12 to 15 in. B&B           | \$0.65    |
| 15 to 18 in. B&B           | .75       |
| 4 ft. x 4 ft. specimen B&B | 6.00 each |

**—opaca (American Holly)**

|                  |        |
|------------------|--------|
| 18 to 24 in. B&B | \$1.00 |
| 2 to 3 ft. B&B   | 1.25   |

**Juniper chinensis columnaris (Blue Columnar Juniper)**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 2½ ft. B&B  | 1.25   | 1.00   |
| 2½ to 3 ft. B&B  | 1.50   | 1.25   |
| 3 to 4 ft. B&B   | 1.75   | 1.50   |
| 4 to 5 ft. B&B   | 2.25   | 2.00   |
| 5 to 6 ft. B&B   | 3.25   | 3.00   |
| 6 to 7 ft. B&B   | 4.25   | 4.00   |
| 7 to 8 ft. B&B   | 6.00   |        |
| 8 to 10 ft. B&B  | 10.00  |        |

10 rate 100 rate

**—chinensis pfitzeri (Spreading Pfitzer's Juniper)**

|                  |        |        |
|------------------|--------|--------|
| 12 to 15 in. B&B | \$0.90 | \$0.75 |
| 15 to 18 in. B&B | 1.25   | 1.00   |
| 18 to 24 in. B&B | 1.50   | 1.25   |
| 2 to 2½ ft. B&B  | 1.75   | 1.50   |
| 2½ to 3 ft. B&B  | 2.00   | 1.75   |
| 3 to 4 ft. B&B   | 2.25   | 2.00   |
| 4 to 5 ft. B&B   | 3.25   | 3.00   |
| 5 to 6 ft. B&B   | 4.25   | 4.00   |

**— — Veridis (Green Columnar Juniper)**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 2½ ft. B&B  | 1.25   | 1.00   |
| 2½ to 3 ft. B&B  | 1.50   | 1.25   |
| 3 to 4 ft. B&B   | 1.75   | 1.50   |
| 4 to 5 ft. B&B   | 2.25   | 2.00   |
| 5 to 6 ft. B&B   | 3.25   | 3.00   |
| 6 to 7 ft. B&B   | 4.25   | 4.00   |
| 7 to 8 ft. B&B   | 6.00   |        |

**—excelsa stricta (Spiny Greek Juniper)**

|                  |        |        |
|------------------|--------|--------|
| 10 to 12 in. B&B | \$0.45 | \$0.35 |
| 12 to 15 in. B&B | .60    | .45    |
| 15 to 18 in. B&B | .75    | .60    |
| 18 to 24 in. B&B | .90    | .75    |

**—sphaerica—fortunei (Globe Juniper)**

|                  |        |
|------------------|--------|
| 18 to 24 in. B&B | \$0.90 |
| 2 to 2½ ft. B&B  | 1.25   |
| 2½ to 3 ft. B&B  | 1.50   |
| 3 to 4 ft. B&B   | 1.75   |

**—squamata meyeri (Blue Fishtail Juniper)**

|                  |        |        |
|------------------|--------|--------|
| 15 to 18 in. B&B | \$0.90 | \$0.75 |
| 18 to 24 in. B&B | 1.25   | 1.00   |
| 2 to 2½ ft. B&B  | 1.50   | 1.25   |

**—virginiana cannarti (Cannart's Red Cedar)**

|                  |        |
|------------------|--------|
| 18 to 24 in. B&B | \$0.90 |
| 2 to 2½ ft. B&B  | 1.25   |
| 2½ to 3 ft. B&B  | 1.50   |
| 3 to 4 ft. B&B   | 1.75   |

**—glauca (Blue Virginiana Cedar)**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 2½ ft. B&B  | 1.25   | 1.00   |
| 2½ to 3 ft. B&B  | 1.50   |        |
| 3 to 4 ft. B&B   | 1.75   |        |
| 4 to 5 ft. B&B   | 2.25   |        |

**— — keteleeri (Pyramidal Red Cedar)**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 2½ ft. B&B  | 1.25   | 1.00   |
| 2½ to 3 ft. B&B  | 1.50   | 1.25   |
| 3 to 4 ft. B&B   | 1.75   | 1.50   |
| 4 to 5 ft. B&B   | 2.25   | 2.00   |
| 5 to 6 ft. B&B   | 3.25   |        |

**— — schotti (Schott Red Cedar)**

|                  |        |        |
|------------------|--------|--------|
| 18 to 24 in. B&B | \$0.90 | \$0.75 |
| 2 to 2½ ft. B&B  | 1.25   | 1.00   |
| 2½ to 3 ft. B&B  | 1.50   |        |
| 3 to 4 ft. B&B   | 1.75   |        |

**Kalmia latifolia (American Laurel)**

|                  |        |        |
|------------------|--------|--------|
| 12 to 15 in. B&B | \$0.90 | \$0.75 |
| 15 to 18 in. B&B | 1.25   | 1.00   |
| 18 to 24 in. B&B | 1.50   | 1.25   |



|   | 10 rate | 100 rate |
|---|---------|----------|
| <b>Leucothoe catesbaei (Drooping Leucothoe)</b>         |         |          |
| 8 to 10 in. B&B .....                                   | \$0.50  | \$0.40   |
| 10 to 12 in. B&B .....                                  | .60     | .50      |
| 12 to 15 in. B&B .....                                  | .75     | .60      |
| <b>Magnolia liliflora nigra (Black Saucer Magnolia)</b> |         |          |
| 15 to 18 in. B&B .....                                  | \$0.90  | \$0.75   |
| 18 to 24 in. B&B .....                                  | 1.25    | 1.00     |
| 2 to 3 ft. B&B .....                                    | 1.50    | 1.25     |
| <b>—soulangeana (Pink Saucer Flowered Magnolia)</b>     |         |          |
| 18 to 24 in. B&B .....                                  | \$0.90  | \$0.75   |
| 2 to 2½ ft. B&B .....                                   | 1.25    | 1.00     |
| 2½ to 3 ft. B&B .....                                   | 1.50    | 1.25     |
| 3 to 4 ft. B&B .....                                    | 2.50    |          |
| 4 to 5 ft. B&B .....                                    | 3.50    |          |
| <b>Picea excelsa (Norway Spruce) Very bushy TTT</b>     |         |          |
| 12 to 15 in. B&B .....                                  | \$0.35  | \$0.30   |
| 15 to 18 in. B&B .....                                  | .45     | .40      |
| 18 to 24 in. B&B .....                                  | .60     | .50      |
| 2 to 3 ft. B&B .....                                    | .90     | .75      |
| <b>Picea pungens kosteri (Koster's Blue Spruce)</b>     |         |          |
| 12 to 15 in. B&B .....                                  | \$0.90  | \$0.75   |
| 15 to 18 in. B&B .....                                  | 1.25    | 1.00     |
| 18 to 24 in. B&B .....                                  | 1.50    | 1.25     |
| 2 to 2½ ft. B&B .....                                   | 1.75    | 1.50     |
| 2½ to 3 in. B&B .....                                   | 2.50    | 2.00     |
| 3 to 4 ft. B&B .....                                    | 4.00    | 3.00     |
| 4 to 5 ft. B&B .....                                    | 7.00    | 5.00     |
| 5 to 6 ft. B&B .....                                    | 12.00   | 9.00     |
| 6 to 7 ft. B&B .....                                    | 20.00   |          |
| 7 to 8 ft. B&B .....                                    | 30.00   |          |
| 8 to 10 ft. B&B .....                                   | 40.00   |          |
| <b>Pieris floribunda (American Mountain Andomeda)</b>   |         |          |
| 10 to 12 in. B&B .....                                  | \$0.90  | \$0.75   |
| 12 to 15 in. B&B .....                                  | 1.25    | 1.00     |
| 15 to 18 in. B&B .....                                  | 1.50    | 1.25     |
| <b>—japonica (Japanese Andromeda)</b>                   |         |          |
| 10 to 12 in. B&B .....                                  | \$0.75  | \$0.60   |
| 12 to 15 in. B&B .....                                  | .90     | .75      |
| 15 to 18 in. B&B .....                                  | 1.25    | 1.00     |
| <b>—racemosa (American Swamp Andromeda)</b>             |         |          |
| 15 to 18 in. B&B .....                                  | \$0.75  | \$0.60   |
| 18 to 24 in. B&B .....                                  | .90     | .75      |
| 2 to 3 ft. B&B .....                                    | 1.25    | 1.00     |
| <b>Pinus nigra (Austrian Pine)</b>                      |         |          |
| 3 to 4 ft. B&B .....                                    | \$2.00  |          |
| 4 to 5 ft. B&B .....                                    | 3.00    |          |
| 5 to 6 ft. B&B .....                                    | 4.00    |          |
| <b>—sylvestris (Scotch Pine)</b>                        |         |          |
| 5 to 6 ft. B&B .....                                    | \$2.00  |          |
| 6 to 7 ft. B&B .....                                    | 3.00    |          |
| 7 to 8 ft. B&B .....                                    | 4.00    |          |

**Rhododendron Catawbiense Hybrid**—We are America's largest growers of hardy hybrid grafted Rhododendrons and offer an unusual selection of varieties. Our plants are exceptionally hardy, being produced under open field culture, and have compact tops, splendid root system and abundance of buds.

|   |                        | 10 rate | 100 rate |
|---|------------------------|---------|----------|
| — <b>Album elegans</b> —white. A rapid growing tall variety recommended for back-grounds. Buds are flesh color and flowers open blush fading to white. Extremely hardy. |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
|   | 2 to 2½ ft. B&B .....  | 2.75    | 2.50     |
|   | 2½ to 3 ft. B&B .....  | 3.75    | 3.50     |
|   | 3 to 4 ft. B&B .....   | 5.00    |          |
| — <b>America</b> —red. An excellent deep red of open spreading habit, hardy and easily forced.  |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
| — <b>Amphion (F. L. Ames)</b> —Pink, white eye. A striking large deep pink flower with pure white center. Good forcing variety; hardy for outdoor plantings.            |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
| — <b>Boule de Neige</b> —white. A very dwarf growing early pure white Caucasicum Hybrid which is entirely hardy. Large flowers.   |                        |         |          |
| °   | 8 to 10 in. B&B .....  | \$1.25  | \$1.00   |
| °   | 10 to 12 in. B&B ..... | 1.50    | 1.25     |
| — <b>Catawbiense album</b> —white. A pure white Hybrid of good compact habit. Easily forced and very hardy.   |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
| — <b>Catawbiense grandiflorum</b> —lilac. A rosy-lilac Hybrid of good compact habit. Buds very heavily and is extremely hardy.  |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
|   | 2 to 2½ ft. B&B .....  | 2.75    | 2.50     |
| — <b>Dr Dresselhuys</b> —red. The best tall growing hardy red variety. It is easily forced and has very large red flowers. Pronounced Dress-el-house.                   |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |
| — <b>Dr. Lovink</b> —red. A bright red Hybrid of recent introduction making wide bushy plants with extra large leaves. Dwarf grower.                                    |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
| — <b>Dr. Rutgers</b> —red. A large flower scarlet-red of dwarf spreading habit. Easily forced and buds very freely.   |                        |         |          |
| °   | 10 to 12 in. B&B ..... | \$1.25  | \$1.00   |
| °   | 12 to 15 in. B&B ..... | 1.50    | 1.25     |
| °   | 15 to 18 in. B&B ..... | 1.75    | 1.50     |
|   | 18 to 24 in. B&B ..... | 2.25    | 2.00     |

|  | 10 rate | 100 rate |
|--|---------|----------|
| — <b>Everestianum</b> —lilac. A very slow growing dwarf variety producing an abundance of pale lavender flowers with prominently yellow spotted and attractively frilled petals. |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    | 2.00     |
| — <b>Ignatius Sargent</b> —light red. A rapid vigorous growing, very hardy light red variety.  |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| — <b>Lee's Dark Purple</b> —dark purple. Extremely hardy having a large number of buds. This variety naturally produces compact globular specimens.                              |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    | 2.00     |
| — <b>Mrs. C. S. Sargent</b> —light red. A good light red or deep pink variety of compact bushy habit. Splendid outdoor Hybrid for mass planting as it is extremely hardy.        |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    | 2.00     |
| 2 to 2½ ft. B&B .....  | 2.75    |          |
| — <b>Mrs. den Ouden</b> —red. Free blooming fiery-crimson Hybrid producing compact well shaped plants. Strong grower.  |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| — <b>Parsons' grandiflorum (grandiflorum)</b> —red. A good hardy solferino-red with compact clustered flowers.   |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    |          |
| — <b>President Lincoln</b> —lavender. An easily forced tall growing lavender variety. Extremely hardy.   |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    | 2.00     |
| 2 to 2½ ft. B&B .....  | 2.75    | 2.50     |
| 2½ to 3 ft. B&B .....  | 3.75    | 3.50     |
| 3 to 4 ft. B&B .....   | 5.00    |          |
| — <b>Prof. Bettex</b> —red. Immense scarlet spotted flowers. Compact well shaped plants. Dwarf in habit.   |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| — <b>Purpureum elegans</b> —purple. Bushy well shaped plants producing an abundance of purple flowers. Extremely hardy and heavy budder.   |         |          |
| ° 10 to 12 in. B&B .....   | \$1.25  | \$1.00   |
| ° 12 to 15 in. B&B .....   | 1.50    | 1.25     |
| ° 15 to 18 in. B&B .....   | 1.75    | 1.50     |
| 18 to 24 in. B&B .....   | 2.25    | 2.00     |



10 rate 100 rate

—**Roseum elegans**—orchid-pink. A heavy budding orchid pink variety which produces compact globular specimens. Easily forced and very hardy.

|                    |        |        |
|--------------------|--------|--------|
| • 10 to 12 in. B&B | \$1.25 | \$1.00 |
| ° 12 to 15 in. B&B | 1.50   | 1.25   |
| ° 15 to 18 in. B&B | 1.75   | 1.50   |
| 18 to 24 in. B&B   | 2.25   | 2.00   |
| 2 to 2½ ft. B&B    | 2.75   | 2.50   |
| 2½ to 3 ft. B&B    | 3.75   | 3.50   |

—**Van der Broeke**—red. Fine dark spotted carmine flowers. Good strong compact grower.

|                    |        |        |
|--------------------|--------|--------|
| ° 10 to 12 in. B&B | \$1.25 | \$1.00 |
| ° 12 to 15 in. B&B | 1.50   | 1.25   |

—**Van der Hoop**—red. Light tyrian-red flowers. Bushy grower.

|                    |        |        |
|--------------------|--------|--------|
| ° 10 to 12 in. B&B | \$1.25 | \$1.00 |
| ° 12 to 15 in. B&B | 1.50   | 1.25   |

—**Van Weerden Poelman**—red. Very large crimson flowers and strong grower.

|                    |        |        |
|--------------------|--------|--------|
| ° 10 to 12 in. B&B | \$1.25 | \$1.00 |
| ° 12 to 15 in. B&B | 1.50   | 1.25   |

**Rhododendron catawbiense** hybrid seedlings. Picked from choice named hybrid plants.

|                    |        |        |
|--------------------|--------|--------|
| ° 6 to 8 in. B&B   | \$0.30 | \$0.25 |
| ° 8 to 10 in. B&B  | .40    | .35    |
| ° 10 to 12 in. B&B | .60    | .50    |

—**carolina**.

|                    |        |        |
|--------------------|--------|--------|
| ° 6 to 8 in. B&B   | \$0.30 | \$0.25 |
| ° 8 to 10 in. B&B  | .40    | .35    |
| ° 10 to 12 in. B&B | .60    | .50    |

—**hippophicoides**—lilac-purple. Very dwarf small leafed Evergreen Rhododendron for rock gardens. Abundance of small lilac-purple flowers.

|                  |        |        |
|------------------|--------|--------|
| 8 to 10 in. B&B  | \$1.00 | \$0.85 |
| 10 to 12 in. B&B | 1.25   | 1.00   |

—**keiski**—yellow. Dwarf small leafed Evergreen Rhododendron suitable for rock gardens. Hardy lemon-yellow flowers.

|                  |        |        |
|------------------|--------|--------|
| 8 to 10 in. B&B  | \$1.00 | \$0.85 |
| 10 to 12 in. B&B | 1.25   | 1.00   |
| 12 to 15 in. B&B | 1.50   |        |

—**maximum**.

|                    |        |        |
|--------------------|--------|--------|
| ° 6 to 8 in. B&B   | \$0.30 | \$0.25 |
| ° 8 to 10 in. B&B  | .40    | .35    |
| ° 10 to 12 in. B&B | .60    | .50    |

—**micranthum**—milky-white. A tall Evergreen species with clusters of milky-white flowers.

|                  |        |        |
|------------------|--------|--------|
| 12 to 15 in. B&B | \$0.90 | \$0.75 |
| 15 to 18 in. B&B | 1.25   | 1.00   |
| 18 to 24 in. B&B | 1.50   | 1.25   |

## SPECIAL LANDSCAPE GRADE RHODODENDRONS

In the thousands of Rhododendrons growing on Koster Nursery there are naturally many plants that are irregular in shape or poorly budded, etc., but they are all perfectly healthy plants even though they are not specimen plants.

These Rhododendrons are excellent for naturalizing, bedding and massing where specific colors are required. We offer these landscape grade Rhododendrons in assorted named varieties containing mostly President Lincoln, Roseum Elegans, Mrs. C. S. Sargent, Amphion and Catawbiense grandiflorum and smaller amounts of other varieties.

**100 Rhododendrons 2 ft. . . . . \$150.00, net**

*Syringa vulgaris*. All our lilacs are being cut back and transplanted. They will not be saleable for a year except some 3 to 4 ft. and 4 to 5 ft. Mme. Lemoine and Ludwig Spaeth which were transplanted last year. See page 12 for list of varieties we grow.

|   | 10 rate | 100 rate |
|---|---------|----------|
| <b>Taxus brevifolia nana (Dwarf Japanese Yew)</b> |         |          |
| 10 to 12 in. B&B . . . . .                        | \$0.90  | \$0.75   |
| 12 to 15 in. B&B . . . . .                        | 1.25    | 1.00     |
| 15 to 18 in. B&B . . . . .                        | 1.50    | 1.25     |
| 18 to 24 in. B&B . . . . .                        | 2.00    | 1.75     |
| 2 to 2½ ft. B&B . . . . .                         | 2.50    | 2.25     |
| 2½ to 3 ft. B&B . . . . .                         | 3.50    |          |
| 3 to 4 ft. B&B . . . . .                          | 5.00    |          |

**—capitata (Pyramid Japanese Yew)**

|                            |        |        |
|----------------------------|--------|--------|
| 12 to 15 in. B&B . . . . . | \$0.75 | \$0.65 |
| 15 to 18 in. B&B . . . . . | .90    | .75    |
| 18 to 24 in. B&B . . . . . | 1.25   | 1.00   |
| 2 to 2½ ft. B&B . . . . .  | 1.75   | 1.50   |
| 2½ to 3 ft. B&B . . . . .  | 2.25   | 2.00   |
| 3 to 3½ ft. B&B . . . . .  | 2.75   | 2.50   |
| 3½ to 4 ft. B&B . . . . .  | 3.75   | 3.50   |
| 4 to 5 ft. B&B . . . . .   | 5.00   |        |

**—cuspidata spreading (Spreading Japanese Yew)**

|                            |        |        |
|----------------------------|--------|--------|
| 12 to 15 in. B&B . . . . . | \$0.75 | \$0.65 |
| 15 to 18 in. B&B . . . . . | .90    | .75    |
| 18 to 24 in. B&B . . . . . | 1.25   | 1.00   |
| 2 to 2½ ft. B&B . . . . .  | 1.75   | 1.50   |
| 2½ to 3 ft. B&B . . . . .  | 2.25   | 2.00   |
| 3 to 3½ ft. B&B . . . . .  | 2.75   | 2.50   |
| 3½ to 4 ft. B&B . . . . .  | 3.75   | 3.50   |
| 4 to 5 ft. B&B . . . . .   | 5.00   |        |

**—media hicksi (Hick's Upright Berry-Bearing Yew)**

|                            |        |        |
|----------------------------|--------|--------|
| 12 to 15 in. B&B . . . . . | \$0.75 | \$0.65 |
| 15 to 18 in. B&B . . . . . | .90    | .75    |
| 18 to 24 in. B&B . . . . . | 1.25   | 1.00   |
| 2 to 2½ ft. B&B . . . . .  | 1.75   | 1.50   |
| 2½ to 3 ft. B&B . . . . .  | 2.25   | 2.00   |
| 3 to 3½ ft. B&B . . . . .  | 2.75   | 2.50   |
| 3½ to 4 ft. B&B . . . . .  | 3.75   |        |

|   | 10 rate      | 100 rate |
|---|--------------|----------|
| <b>Thuja globosa (Globe Arborvitae)</b>         |              |          |
| 10 to 12 in. B&B .....                          | \$0.60       | \$0.50   |
| 12 to 15 in. B&B .....                          | .75          | .60      |
| 15 to 18 in. B&B .....                          | .90          | .75      |
| <b>—pyramidalis (Pyramidal Arborvitae)</b>      |              |          |
| 18 to 24 in. B&B .....                          | \$0.75       | \$0.65   |
| 2 to 2½ ft. B&B .....                           | .90          | .75      |
| 2½ to 3 ft. B&B .....                           | 1.25         | 1.00     |
| 3 to 3½ ft. B&B .....                           | 1.50         | 1.25     |
| 3½ to 4 ft. B&B .....                           | 1.75         | 1.50     |
| 4 to 4½ ft. B&B .....                           | 2.00         | 1.75     |
| <b>—rosenthali (Dwarf Pyramidal Arborvitae)</b> |              |          |
| 10 to 12 in. B&B .....                          | \$0.60       | \$0.50   |
| 12 to 15 in. B&B .....                          | .75          | .60      |
| <b>—spiralis—plicata (Moss Arborvitae)</b>      |              |          |
| 15 to 18 in. B&B .....                          | \$0.60       | \$0.50   |
| 18 to 24 in. B&B .....                          | .75          | .60      |
| 2 to 2½ ft. B&B .....                           | .90          | .75      |
| 2½ to 3 ft. B&B .....                           | 1.25         | 1.00     |
| 3 to 4 ft. B&B .....                            | 1.50         | 1.25     |
| 4 to 5 ft. B&B .....                            | 1.75         | 1.50     |
| <b>—wareana (Siberian Arborvitae)</b>           |              |          |
| 10 to 12 in. B&B .....                          | \$0.60       | \$0.50   |
| 12 to 15 in. B&B .....                          | .75          | .60      |
| <b>Tsuga fremdi (Dwarf Pyramidal Hemlock)</b>   |              |          |
| 3 to 4 ft. B&B .....                            | \$25.00 each |          |
| 4 to 5 ft. B&B .....                            | 35.00 each   |          |

Florists' Specials

|  |          |         |
|--|----------|---------|
| <b>Coral Belle Azalea for forcing.</b>       |          |         |
| 4 to 6 in. B&B .....                         | \$35.00  | per 100 |
| 6 to 8 in. B&B .....                         | 50.00    | per 100 |
| 8 to 10 in. B&B .....                        | 65.00    | per 100 |
| <b>Hinodegiri Azalea for forcing.</b>        |          |         |
| 4 to 6 in. B&B .....                         | \$30.00  | per 100 |
| 6 to 8 in. B&B .....                         | 40.00    | per 100 |
| 8 to 10 in. B&B .....                        | 60.00    | per 100 |
| 10 to 12 in. B&B .....                       | 80.00    | per 100 |
| <b>Indica Belgian forcing Azaleas.</b>       |          |         |
| 6 to 8 in. B&B .....                         | \$75.00  | per 100 |
| 8 to 10 in. B&B .....                        | 100.00   | per 100 |
| 10 to 12 in. B&B .....                       | 125.00   | per 100 |
| <b>Kaempferi Hybrid Azaleas for forcing.</b> |          |         |
| 12 to 15 in. B&B .....                       | \$75.00  | per 100 |
| 15 to 18 in. B&B .....                       | 100.00   | per 100 |
| 18 to 24 in. B&B .....                       | 150.00   | per 100 |
| <b>Rhododendrons for forcing.</b>            |          |         |
| 12 to 15 in. B&B .....                       | \$125.00 | per 100 |
| 15 to 18 in. B&B .....                       | 150.00   | per 100 |
| 18 to 24 in. B&B .....                       | 200.00   | per 100 |

# Special Surplus Stock

|  | Per 1,000 | Per 10,000 |
|--|-----------|------------|
| <b>Biota Orientalis</b>                |           |            |
| 3 to 6 in. ....                        | \$10.00   | \$ 80.00   |
| 6 to 12 in. small grafting size ....   | 20.00     | 150.00     |
| 6 to 12 in. T large grafting size .... | 40.00     | 300.00     |
| <b>Norway Spruce</b>                   |           |            |
| 3 to 6 in. ....                        | \$10.00   | \$ 80.00   |
| 6 to 9 in. T small grafting size ....  | 40.00     | 300.00     |
| 9 to 12 in. TT large grafting size ... | 70.00     | 600.00     |
| <b>Rhododendron Pontica</b>            |           |            |
| 3 to 6 in. T ....                      | \$70.00   | \$600.00   |
| 6 to 9 in. T small grafting size ...   | 90.00     | 800.00     |
| 9 to 12 in. T large grafting size ...  | 120.00    | 1000.00    |



